

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
L2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L4	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

L10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L11	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L13	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L18	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

L20	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L21	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L22	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L23	260	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L24	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L25	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L26	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L27	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L28	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L29	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

L30	62	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L31	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L32	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L33	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L34	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L35	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L36	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L37	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L38	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L39	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28

EAST Search History

L40	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 16:28
L41	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L42	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L43	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L44	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
L45	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 16:28
S1	0	("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 10:45
S2	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:24
S3	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:28

EAST Search History

S4	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:29
S5	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:40
S6	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:41
S7	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:42
S8	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:43
S9	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:33
S10	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:58
S11	254	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 17:59
S12	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00

EAST Search History

S13	58	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00
S14	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 18:00
S15	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 18:00
S16	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:34
S17	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 16:35
S19	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S20	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:29
S21	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:31
S22	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 12:33
S23	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:56

EAST Search History

S24	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:57
S25	0	("(voter near2 (record or information or data or registration) with database) and @ad < 20001103").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 20:04
S26	30	(voter near2 (record or information or data or registration) with database) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S27	4	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S28	0	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S29	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S30	2	(voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S31	0	voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S32	0	voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

EAST Search History

S33	3	voter and ballot and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S34	2	(scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S35	255	(scan with digital) and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S36	0	(scan with digital) same database same (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S37	59	(scan with digital) and database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S38	6	(scan with digital) same database and (survey or ballot) and @ad < "20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S39	2	"20020091673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S40	3	"5454105".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S41	2	"6250548".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S42	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04

EAST Search History

S43	0	(scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S44	21	(scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S45	8	((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04
S46	49	(scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:04